



Hastelloy c276 Tube Fittings

Prepared for :

Duplex Supply Inc.

Email-id : info@duplexsupply.com

Issue Date

01-01-2017

Statement of Confidentiality:

All the information and the content are intended solely for the addressee, the information is legally privileged and all the rights reserved by our firm no duplications of this site or information is permitted to anyone.



Introduction

Duplex Supply Inc. are the suppliers of Hastelloy c276 tube fittings. We are one of the prime and arch brands in alloy industry. Duplex Supply Inc. specializes in deviated forms of duplex, super alloys, stainless in form of tube, pipe, plate, flanges, sheets, valves etc. Duplex Supply Inc. are the most accomplished and dynamite makers of nickel based alloys. Hastelloy c276 Tube Fittings manufactured by Duplex supply Inc. are one of the finest product. We go with the saying "Customer is king" thus we make our Clients buying feel worthy and remarkable. We present customers in various countries for all size demand. The main Ambition of the firm is to provide commodities of matchless Quality because we strongly believe in Consumer Satisfaction. Hastelloy c276 Tube fittings is most demanding product in industry. In Today's Market industries have become very low quality suppliers which creates Shallow in what Steel Industry needs. Due to such Junctures it results in decline of Quality Goods. But today our firm is one of the finest Organization in Industry, Which makes us Solitary in such a Competitive Industry. Our Product Reliability and performance has made us one of the best brands. Because of such service our clients recommend us to other prospectors which is more than enough to prove our distinction in steel industry. We are known to the true essence of industry which makes us sound reliable and efficient for calibrating precise needs and demands of our customers. We are a perfect fit for giving a tremendous scope of materials, from our stock, to suit your necessities from various Industries. From exceedingly specific non-standard material to off the rack products, from low essentials to factory runs, Duplex Supply Inc. has the experience to understand your most troublesome requirements. We have always kept our Vision clear which serves best in accomplishing our mission. We rectify the changes required in industry with changing time and keep getting Major Control over the quality of our product. With the changing period of time we have always progressed day by day and our product quality has always remain finest. Our product have such impact on our customers that it fetches us new customers as well but the clients who once purchased from us always get back to us for their purchases.



Contents

- **Product**

- **Design**

- **Materials**

- **Quality**

- **Why client choose us?**

- **Technical Details**

- **Production**

- **Packaging & Documentation**

- **About Duplex Supply Inc.**



Product

Hastelloy c276 Tube Fittings are used to accommodate a leak free acquaintance between tubes for a seamless flow of liquids and gases. The most ordinary types of tube fittings manufactured by us are various types of Stainless steel, Monel, Inconel, Hastelloy fittings which are used for their corrosion resistance and provide inventive finishes. The tube is designed to withstand. Hastelloy c276 Tube Fittings are also designed to have a high vacuum which is the maximum vacuum pressure that can be created in the tube. Tubes can be conjoined to tube fitting by bulging the ferrule to the nuts and tubes. Hastelloy c276 Tube Fittings are used in tube systems to conjoin straight pipe or tubing sections. The main use of fitting is to make the pipe or the tube adaptable to different sizes or shapes. Hastelloy c276 Tube Fittings are also used for calibrating the liquid flow. The term plumbing is generally used to describe conveyance of water, gas, or liquid waste in ordinary domestic or commercial environments, whereas piping is often used to describe jazzed up conveyance of fluids in functional applications. The term tubing is sometimes used for lighter-weight piping, especially kinds that are flexible enough to be supplied in coiled form. The principal companies in which there is application of Hastelloy c276 Tube Fittings are Automotive, Shipbuilding/Marine, Railway, and Aerospace. These Tubes are majorly used in industries for their scrupulous and rigorous work. These are most commonly used in the oil and gas, pulp & paper, petro-chemical/chemical processing, research laboratories, aerospace and defense, chemical processing, power generation, cryogenic and semiconductor, shipbuilding and heavy industrial industries. It is worth asserting that all steel types exposed to water and oxygen will corrode. International standard stated that if less than 0.1 mm of the surface of Hastelloy c276 Tube Fittings are not corroded in a year, then it is sturdy and can be accepted as chosen quality for the application. It is important to know which fitting should be used in which application. There are kinds of variations in application of use of Hastelloy c276 Tube Fittings.

Applications of Hastelloy c276 Tube Fittings that we accommodate at Duplex Supply Inc. are:

1. Hydraulic Application- Hydraulic Applications Comprises alteration of liquid fluids such as water and other chemical solvents. They have seals which prevents leakage of liquid and frequently be rust resistant and other chemical corrosion.
2. Pneumatics-They Involve alteration of gases. They have tight seals which prevents gas leakages and are resistant to chemical corrosion.
3. Instrumentations- They are Strongly Physically Instrumented and do not require much sealing.
4. Calibration- This comprises of sequence-fully altered which is also not leak proof or spill proof sealed.
5. Oil & gas- Oil & Gas Application comprises of highly rust resistant and chemical corrosion seals which prevents leakages of oil & Gas.



Design

Types of Hastelloy c276 Tube Fittings consists subtypes

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. TUBE TO UNION CONNECTION <ul style="list-style-type: none"> • UNION • UNION TEE • UNION ELBOW • UNION CROSS • BULK HEAD UNION • REDUCING UNION | <ol style="list-style-type: none"> 2. TUBE TO MALE CONNECTION <ul style="list-style-type: none"> • MALE CONNECTOR • MALE ELBOW • MALE BULKHEAD CONNECTOR • MALE RUN TEE • MALE BRANCH TEE |
| <ol style="list-style-type: none"> 3. TUBE TO FEMALE CONNECTION <ul style="list-style-type: none"> • FEMALE CONNECTOR • FEMALE ELBOW • FEMALE BULKHEAD CONNECTOR • FEMALE RUN TEE • FEMALE BRANCH TEE | <ol style="list-style-type: none"> 4. ACCESSORIES <ul style="list-style-type: none"> • FRONT FERRULE • BACK FERRULE • NUT • BLANKING PLUG • BLANKING END |
| <ol style="list-style-type: none"> 5. INSTRUMENTATION FITTINGS <ul style="list-style-type: none"> • MALE TEE • FEMALE TEE • STREET TEE • BRANCH TEE • FEMALE CROSS • MALE ELBOW • FEMALE ELBOW • STREET ELBOW • ADAPTER • BUSHING • HEX COUPLING • REDUCING HEX COUPLING • HEX NIPPLE • HEX PLUG • FEMALE CAP • ALLEN KEY | |



Materials

Principal Design Features	C-276 is a wrought corrosion-resistant alloy. A prime advantage of this alloy is that it generally does not require solution heat treatment after welding. It resists the formation of grain boundary precipitates that would degrade corrosion resistance.
Applications	Chemical process equipment and desulfurization of flue gas equipment.
Machinability	Good machinability, although the alloy work hardens as is true of the nickel base alloys in general.
Forming	Can be cold worked by all conventional methods.
Welding	Weld able by all common methods except that excessive heat input should be avoided. Can be used in the "as-welded" condition without further heat treatment for most corrosive applications.
Heat Treatment	Solution heat treatment is done at 2050 F followed by a rapid quench. The alloy is supplied in this condition. If hot forming or forging is done then the parts should be solution heat treated, if possible, before use.
Forging	The alloy can be forged or hot-upset by conventional means.
Hot Working	Can be hot formed or extruded. Should be solution heat treated following hot forming.
Cold Working	Readily cold worked by conventional methods.
Annealing	Normally supplied and use in the solution treated condition, a 2050 F soak followed by rapid quench.
Aging	Not normally done. The alloy is used in solution treated condition.
Tempering	Not applicable to this alloy.
Hardening	Not harden able by heat treatment. The alloy does harden due to severe cold working.
Other Physical Props	V-notch impact strength is 260 ft. lbs. at 70 F and at minus 320 F.



Quality

Duplex Supply Inc. strongly has characteristic Quality control over all our products and our esoteric work quality and product quality makes us one of the top manufacturers in Industry. We provide Best Quality Hastelloy c276 Tube Fittings. Quality is our peak concern. We sustain high Quality Standards through our Committed Personnel and Sound Infrastructure. Not even a single fitting is left without a 3 layer inspection of chemical test, mechanical test, visual inspection, dimension inspection, pressure test, gauge test and conformity to the order. Quality Assurance System is beacons by Axioms that support our work culture which hooks in respect, self-administration, imaginative-ness and self-articulation. Duplex Supply Inc. is backed by all the possible certifications of a world class mill including ISO 9001:2008, ISO 14001:2007, OH-SAS 18001: 2004 & CE-PED 97/23/EC. We are also members of various renowned agencies and Chambers of Commerce including MASSMA, EEPC, FICCI, FIEO, Indian Merchants Chamber etc.

We are Highly Concerned about our customer's expectations.



We Strain To always act with probity and Honesty.

We Aim To be Paramount in our Industry.



We do our absolute best to esteem our commitments.

We are delighted to be saturated with loads of order 50 days schedule ahead of time. Every single piece of our product is attached with test certificates and authentication certificate of our Quality Product. Day by Day we keep moving to improve Quality of our products for our client. We also welcome any third party inspection from an agency nominated by the customer to comply with NACE 3.2 Certification if required by customer at an extra costs satisfaction. Our Quality Management systems and work plans ensures pursuance of total Quality Management .We never compromise in terms of Quality of Hastelloy c276 Tube Fittings and also for our other products. We follow stringent Quality Norms and ethics by monitoring each production process which leads in supreme product quality. With years of experience in manufacturing we offer High Quality, Lower cost and Best service. Quality Assurance begins with understanding Customer's needs and is continued till the customer is completely convinced with the delivery of products and services. Hastelloy c276 Tube Fittings is one of the rough and tough product due to its great quality. We efficiently fulfil customer's needs in terms of Cost, Quality and Delivery.



Why Clients Choose us ?

Our clients have their trust in us and our Products because Duplex Supply Inc. is the most popular vendor of Hastelloy c276 Tube Fittings. We uniformly export our products to all the 5 continents in the world. Hastelloy c276 Tube Fittings are supplied majorly in Middle Eastern countries. Our all products are of marvelous quality. We have always followed saying of "Customer is king" for us and their satisfaction is what we aim for. Product replacement warranty is given. Our products can sustain high pressure. As of 2015, we stocked 500 tons of Hastelloy c276 Tube Fittings, highest in the country. With Duplex Supply Inc. you get un-comparable buying experience of products made from best raw materials. We execute both small and bulk orders. Every 4 months a 3rd party inspection is conducted.

Customer is king

Duplex supply Inc. furnishes MTC with EN10204 NACE 3.1, NACE 3.2 specifications. All clients are provided with a copy of the same. Duplex Supply Inc. have the distributor in more than 15 countries. With ISO 9001:2008, ISO 14001:2004, OHSAS 18001:2007 certificate We are majestic manufacturer and exporter of Hastelloy c276 Tube Fittings. Duplex Supply Inc. has emerged to become the most trusted company in several European, African and gulf based companies.

No compromises are made even when it comes to the packing of our products for sea as well as air transport. Also, the raw material taken for manufacturing is of the highest grade. Our specialized logistic team focuses on delivering the first model, which provides for instant dispatch against the receipt of bank transfer copy. At competitive pricing, Duplex Supply Inc. has become the ultimate destination of Hastelloy c276 Tube Fittings buyers Duplex Supply Inc. is looking forward to providing you with your specialty metal needs. Also the Customization we do on personal demand of customers gets us client satisfaction and our high quality products with flexible pricing makes us admired by our clients our clients feel delighted in buying our products and consumer satisfaction in itself is the biggest achievement for our firm.



Technical Details

Chemical Composition, %													
	C	Mn	Si	P	S	Cr	Mo	Ni	N	Fe	Co	W	V
Min	-	-	-	-	-	14.5	15	57		4	-	3	
Max	0.01	1	0.08	0.04	0.03	16.5	17	-	NA	7	2.5	4.5	0.35

Mechanical Properties	
UTS Min (MPA)	690
Yield Min (MPA)	283
Elongation MIn (%)	40
Hardness Max (HRB)	95
Heat Treatment	870°C - 1230°C



Production




Packaging & Documentation

Each year, millions of tons of Hastelloy c276 Tube Fittings are produced. Its versatility makes it the most often used product. Hastelloy c276 Tube Fittings are found in a variety of places. Since they are very substantial in industrial work everywhere. The Production Process of Hastelloy c276 Tube Fittings are divide into 3 parts which are BODY, NUTS AND FERRULE.

- i. **Body:** As per design standard the body is made from hex or round bar which is subject to heat treatment depending on the stature of the bar. Followed by that, the body is machined depending on the thread required by customer.
- ii. **Nuts:** Nuts are made in a fairly simple process by a machining of hex bar as per size and thread from a standardized design.
- iii. **Ferrule:** Ferrules are the heart of the Hastelloy c276 Tube Fittings manufacturers. Our specialization lies in the manufacture of an innovative method that makes the ferrules compatible with other manufacturer designs and increases the life of the fitting.

Our production range also comprises of instrumentation valves, condensate pots, snubber, manifolds, and custom designed valves. Fittings can be made in NPT, BSPT & BSPP Threads. Our production amplitude at apex in a 3 shift schedule is 1.3 million pieces of amassed units per month. Over and above to that we have in house testing facilities like spectra machine, PMI Machine, Mechanical test, Hardness Test, Ultrasonic Testing, Hydrostatic Testing, Pressure testing, and manual inspection of gauge. We take appropriate consternation that there are no errors and bungles caused in our production process because efficient production process is foremost for enrooting goods. Our state of the art factory has 21 CNC Machines, 12 Lathe Machines, 3 Heavy Punch Machines, and 5 Dye Machines for an end to end process at one place. Our Production process has very creamy operating system which maintains proper co-ordination of work.



Duplex Supply Inc. provide the certificate of origin legalized/attested by the chamber. Also, a commercial invoice including HS code is provided. Our product packing lists which come with the product includes a number of boxes, net weight, and gross weight. We provide test certificate certifying NACE MRO103, NACE MR0175 during the delivery of Hastelloy c276 Tube Fittings to our customers, Along with this, a raw material test report is provided as well. Our laboratory reports that are NABL approved also is provided to our loyal customers. Other reports like raw material reports, heat treatment charts and letter of guarantee is also provided by Duplex Supply Inc. Packaging of Hastelloy c276 Tube Fittings are done in such a way that there is no damage caused to the product during time of delivery. We provide a free sample kit for all clients against purchase order copy for quality approval free of cost. Request your free sample kit now and get your personalized orders at tip of your We offer price basis depending on your requirements. It can be based on previous works, FOB Nhava sheva, CFR, CIF, CPT your destination port or your door to door delivery duty which can be paid or unpaid finger by ordering it online.



About Duplex Supply Inc.

Duplex Supply Inc. is a privately held stockiest supplier and manufacturer of various alloy and metal products, the head office is located in Mumbai. DSI is committed to provide merit quality serviceability to all its customers with the minimal lead time.

Duplex supply Inc. provides shipping for all over global Customers. DSI has made noteworthy impact in metal Industry. With Duplex Supply Inc. you get un-comparable buying experience of products made from best raw materials. Duplex Supply Inc. has emerged to become the most trusted company in Indian market and in several European, African and gulf based companies. Duplex Supply Inc. is backed by all the possible certifications of a world class mill including ISO 9001:2008, ISO 14001:2007, OHSAS 18001: 2004 & CE-PED 97/23/EC.

“Your wish we Accomplish, You Demand we Deliver”



OUR MISSION

Our Aim is At Business Excellence through Higher business ethics and standards, Optimum use of resources, Spirit of Entrepreneurship.



OUR PRECISION

We are very Accurate from our Production System to our Delivery System we handle all our goods very precisely. We precisely fulfill all our promises to the clients and make sure that they have no complaints regarding our products.



OUR VISION

To provide best Quality products and service to our Clients and fulfilling their demands beyond their expectations and to be globally esteemed organization.



info@duplexsupply.com
www.duplexsupply.com

We Look Forward to Hearing From You...

After knowing about all the information above mentioned regarding our products we look forward a hearing from you regarding any Queries and Orders we are delighted to serve all our customers the existing ones and also we welcome our new customer orders. We assure that our products will never disenchant you.



Contact Us



Email

info@duplexsupply.com



Website

www.duplexsupply.com



Contact No.

+91 22 6743 6562



Address

Office No. 10,
Bordi Bunglow,
1st Panjarapole Lane,
CP Tank, Mumbai 400004